2015 MASONITE MOLDED PANEL interior doors NEW HERITAGE® Series see page 12 Masonite

find your unique style transform your home

Introducing Masonite Expo", Masonite Select" and Masonite Classics", three distinct categories that make it easy to find the doors that match your unique style. For 90 years, Masonite has been committed to creating quality products that enhance the beauty and functionality of your home.


Safe 'N Sound® Solid Core Doors
Commercial Doors p19
Flush Series p20
Eco-Friendly Engineered Doors & MAX°p21
Design & Size Options p22



nC

Palazzo Series[®]
West End Collection
Heritage[®] Series









Masonite®

Interior Doors at a Glance





Decorate with Doors

Add Color to Your Home with Masonite Molded Doors





® Classics™


CHEYENNE® • RIVERSIDE® • SADDLEBROOK®



Feature lines distinguish the architectural correctness of authentic stile & rail wood doors



Cheyenne[®]
Riverside[®]
Saddlebrook[®]





The originals, these doors complement any décor with their simple, pleasing lines & familiar designs



2, 3, 4 and 6 Panel 2 Panel Roman

- 2 Panel Arch-Top
- 4 David of Arch Te
- 4 Panel Arch-Top
- 6 Panel Prefinished

Personalize your interior door to reflect your unique style.



safens@und®







CAN YOUR DOOR PASS THE KNOCK TEST?

5 year warranty



The easiest way to tell if your door is hollow or solid is to simply knock on it. You'll hear—and feel—the difference immediately.

Safe 'N Sound doors

Quiet a home

more than hollow core doors



Solid core doors

add more value to a home

than standard hollow core doors

\$

Offers the durability, heft & feel of real wood



1-3/4" **THICK**fire-rated options





The core of our Safe 'N Sound door is engineered from wheat straw, an annually renewable resource.















Palazzo Series®

- European style raised panels with smooth surface, ready to paint
- Engineered with Masonite's Component Construction for maximum performance
- Resists warping, shrinking and cracking






West End Collection®

- Modern designs complement a variety of décors
- Available in Safe 'N Sound', see page 21 for details
- Emerald "green" specification offered for all styles with matching bifolds, see page 21 for details











Heritage® Series


- Combines the classic lines of wood shaker doors with the durability of molded panel engineering
- Available in Safe 'N Sound', see page 21 for details
- Emerald "green" specification offered for all styles with matching bifolds, see page 21 for details







SELECT** AUTHENTIC | DIVERSE | STYLISH



CHEYENNE® • RIVERSIDE® • SADDLEBROOK®





- Feature lines distinguish architectural correctness of authentic stile & rail wood doors
- Available in Safe 'N Sound', see page 21 for details
- Emerald "green" specification offered for all styles with matching bifolds, see page 21 for details





3 PANEL TEXTURED ONLY

2 PANEL ROMAN


SMOOTH ONLY

2 PANEL

SMOOTH ONLY

2 PANEL ARCH-TOP SMOOTH & TEXTURED





Molded Panel Series

- Resists warping, shrinking and cracking
- Available in Safe 'N Sound', see page 21 for details
- Emerald "green" specification offered for all styles with matching bifolds, see page 21 for details









6 Panel Prefinished Styles

- Durable topcoat ensures a long-lasting finish
- Resists warping, shrinking and cracking better than solid wood doors
- Available in textured finished with matching bifolds



Commercial Doors


BASIC | DURABLE | LOW MAINTENANCE






10" Bottom Rail

- Taller bottom rails & wider stiles for compatibility with commercial hardware
- Satisfies ADA requirements





Flush Series

BASIC | DURABLE | LOW MAINTENANCE




Flush door designs

- A perfect option for small budget renovations
- Offers the beauty and refinement of an authentic woodgrain finish
- High-quality materials make doors easy to finish









Eco-Friendly Engineered Doors

SAFE 'N SOUND® & EMERALD "GREEN" DOORS

		safe is und	hollow	safensound solid core doors				
_	een association & ertification cross reference	Molded Panel	Molded Panel	Flush Primed Hardboard	All Designs & Species (excluding Palazzo)			
		1-3/8", 1-3/4" 1-3/4" 20-minute	1-3/8" Only	1-3/8" Only	1-3/8" Only			
		GREEN A	TTRIBUTES					
	Pre-Consumer Recycled Content	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1			
	Resource Efficient Materials	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1			
1	Rapidly Renewable Materials	LEED NC - MR 6.0; NAHB 606.1			LEED NC - MR 6.0; NAHB 606.1			
***	Environmentally Preferred Products / Low Emissions Adhesives and Sealants	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2			
***	CARB 93120 Compliant (California Air Resources Board)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	**			
1	Extremely Low VOC Emissions	NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF				
1	No Added Urea-Formaldehyde (NAUF)	LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4				
FSC	FSC° Certified Wood (Forest Stewardship Council)	LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2		LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2				
		PERFOR	RMANCE					
	Made with sound-reducing solid core	✓			✓			
io.	Offers heft & feel of solid wood	✓			✓			
	Ready to paint & decorate	✓	✓	✓	√			

 $\ast\ast$ Safe 'N Sound doors which meet CARB Phase 2 are available in many areas of the country.

The above referenced certifications are based on the following versions: LEED NC - 3.0 / LEED H - 2008 / NAHB - 2008.

For technical specification information, visit www.masonite.com or contact us at 800-663-DOOR (3667).

FSC* Trademark License Code: FSC-C014860

TECHNICAL & SUPPORT INFORMATION ON GREEN.

- This product contributes to satisfying the credits of the U.S. Green Building Council's LEED" Green Building Rating System". For current applicable LEED" standards, visit www.usgbc.org.
- For more information on the NAHB National Green Building Program", visit www.nahb.org.
- Evaluations of the Green Certifications are provided as a courtesy for Mosonite customers, further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- USGBC^a and LEED^a are registered trademarks of the U.S. Green Building Council.







Experiment with thousands of customization options, get pricing information and find out where to buy without ever leaving the comfort of your home.

For full offering visit masonite.com

Design & Size Options

				PASSAGE													ВП	FOL	DS						
		P/	ALAZZO SERIES®	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
		BELLAGIO° ((2 ARCHED PANELS)																						
			smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•*	•*	•*
			smooth 84"	•	•	٠	•	٠	٠	٠	٠	•	•	•	•	•		•		•		•	•*	•*	•*
			smooth 96"	•	•	٠	٠	٠	٠	٠	٠	•	•	•	•	•		•		•		•	•*	•*	•*
		CAPRI° ((2 SQUARE PANELS)																						
			smooth 80"	•	•	٠	•	٠	٠	٠	•	•	•	•	•	•		•		•		•	•*	•*	•*
			smooth 84"	•	•	•	•	•	•	•	•	٠	•	•	•	•		•		•		•	•*	•*	•*
			smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•*	•*	•*
		TR	REVISO° (3 PANELS)																						
			smooth 80"	•	•	٠	٠	٠	•	•	•	٠	•	•	•	•		•		•		•	•*	•*	•*
			smooth 84"	•	٠	٠	٠	٠	٠	٠	٠	٠	•	٠	٠	٠		٠		٠		٠	•*	•*	•*
			smooth 96"	•	•	٠	٠	٠	•	•	•	•	•	•	•	٠		•		٠		•	•*	•*	•*
														*Th	ese F	Palaz	zo bi	folds	are	ship	ped	as t	wo u	nits.	
									PA	SSA	GE									ВП	FOL	DS			
		WEST END	COLLECTION®	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
			BERKLEY°																						
,			smooth 80"	•*	•*	•*	•*	•*	•*	٠	•	٠	٠	٠	•	•		•		٠		•			
MASONITE EXPO*			smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•			
Š			HAMEL [~]																						
틀			smooth 80"							•	•	٠	٠	•	•	•		•		•		•			
80			smooth 84"												•	•									
Ž		_	MELROSE°																						
			smooth 80"	•*	•*	•*	•*	•*	•*																
							4																		
			smooth 84"	•	• "	• 1	• '	• 1	• •	•	•	•	•	•	•	•	•	•		•		•			
	new									SSA											FOL				
			RITAGE® SERIES N PARK® (1 PANEL)	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
		LIIVOOL	smooth 80"																						
			smooth 84"																						
				•	•	٠	٠	٠	٠	•	٠	·	·	·	٠	·		•		٠		•	•	٠	•
			smooth 96"	•	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	•		•		٠		٠	•	•	•
	COMING C	LC	OGAN" (2 PANELS)																						
			smooth 80"	•	٠	٠	٠	٠	٠	٠	٠	•	•	•	٠	•		•		•		•	•	•	•
			smooth 84"	•	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	•		•		٠		٠	•	•	•
			smooth 96"	•	•				•	•	•	•		•		•		•				•	•	•	•
		WINS	SLOW" (3 PANELS)																						
		0	smooth 80"	•	•				•	•	•	•		•				•		•		•	•	•	•
		Commercial 10" Bottom Rail	smooth 84"																						
			311100111 04	·	·	·	Ů	·	·	·	·	Ů	Ů	·	·	Ů		·		Ů		·	Ť	•	·
	PASSAGE														FOL										
_				12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
			CHEYENNE°																						
			smooth 80"	•	•	٠	٠	٠	٠	•	٠	•	٠	•	•	•		•	٠	•	٠	•	•	٠	•
Ļ.			smooth 96"	•	•	•	•	•	•	•	•		•		•	•			•		•		•	•	•
띮			RIVERSIDE°																						
SE			smooth 80"	•													•						•		•
MASONITE SELECT			smooth 84"	•	•	•	•	•	•		•	•	•	•	•	•	•	•		•	•	•	•	•	•
			smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
ΑĀ			SADDLEBROOK°																						
_			smooth 80"	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•		•	•	•	•	•
			smooth 96"																						
			31100111 70																						

_										, ne	_) I I C		_			
Ш		MOLDED PANEL SERIES	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	42"	16"	18"	24"	28"	30"	32"	36"	48"	60"	72"
		2 PANEL ARCH-TOP																								
		smooth 80"	•	٠	•	٠	٠	•	٠	٠	٠	•	٠	٠	•			٠	•	٠	٠	•	٠	•	•	٠
		textured 80"	•	•	•	•	•	•				•			•				•		•		•	•	•	
		smooth 84"					٠	•							•			٠	•							
		smooth 96"																								
		2 PANEL ROMAN SMOOTH																								
		smooth 80"																								
		smooth 84"	•	•	٠	٠	٠	٠	٠	•	•	٠	•	٠	٠			٠	٠	٠	•	•	•	•	٠	•
		smooth 96"					•	•	٠	٠	٠	٠	٠	٠	•						•	٠	•		•	•
		2 PANEL ROMAN SMOOTH																								
		smooth 80"										•	•	•	•											
		- Commercial 10" Bottom Rail																								
		smooth 84"										•	•	•	•											
		2 PANEL																								
		smooth 80"	•	•	٠	•	•	•	٠	٠	٠	•	٠	٠	•			٠	•	٠	•	•	•	٠	•	•
		smooth 84"	•	•	•	•	•	•	٠	•	•	•	•	•	•			٠	•	٠	•	•	•	•	•	•
		smooth 96"																								
•		2 PANEL																								
٨																										
2		- Commercial smooth 80"										•	•	•	•											
Ź		10" Bottom Rail smooth 84"										•		•	•											
MASONIIE CLASSICS		3 PANEL																								
4		3 77 11 12 2																								
ξIJ		textured 80"																								
ا و		lexituled 60			·	-	-				Ť	·										·				
<u></u>		4 PANEL ARCH-TOP	TOD																							
		4 FAINLE ARCHFIOF																								
	ШШ	textured 80"																								
		lexitured 60	•	•	·	٠	٠	٠	٠	٠	٠	٠	٠	·	٠			٠	٠	٠	•	٠	•		·	٠
		4 PANEL																								
		smooth 80"																								
	ШШ	smooth 84"																								
			•	•	·	٠	•	٠	•	•	·	٠	•	·	٠			•	٠	•	•	•	•	•	·	•
		smooth 96"	•	•	•	•	٠	•	٠	•	•	•	•	•	•			٠	•	٠	•	•	•	•	•	•
		6 PANEL smooth 80"																								
		textured 80"																								
			•	•	·	٠	•	٠	•	•	·	٠	•	·	٠		•	•	•	•	•	•	•	•	·	•
		smooth 84"	•	•	•	•	٠	•	•	•	•	•	•	•	•			٠	•	•	•	•	•	•	•	•
		textured 84"	•	•	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠			٠	٠	٠	•	٠	•	•	٠	•
		smooth 96"	•	٠	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	•			٠	•	٠	٠	٠	٠	•	•	•
		textured 96"	•	•	٠	•	•*	۰	٠	٠	٠	•	٠	٠	•			٠	•	٠	•	٠	•	٠	•	•
		prefinished 80" (all colors)	•	•	٠	٠	•	•	٠	٠	٠	٠	٠	٠	•				•	٠	•	٠	•	٠	٠	•
		6 PANEL COMMERCIAL																								
		smooth 80"												•	•	•									•	
		_ Commercial																								
		smooth 84"										٠	٠	٠	•	٠					٠	٠	٠		٠	٠
				0.00	- 4c					SSA		0.5::		0:								OLD:		10"		
Į		FLUSH SERII		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24	" 28	" 30	J" 3	2" 3	36"	48"	60"	/2"
		80", 84" & 96" Heigh																								
		HARDBOAF Prime																								
		VENE					-								·											
		Oak, Birch, Hardwoo															•									
- 1		2 3, 211011, 110101V0C	_																							

*Thinner outer style will not affect functionality. Double doors and bifolds are not recommended. Due to manufacturing processes, a 1/8" tolerance is acceptable on horizontal lines. Note: 48", 60" & 72" bifolds are achieved by doubled 24", 30" & 36" bifolds.

Molded Panel Series & Masonite Select" Collection Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability. "Molded Panel actually measures 1'7-13/16".





TURN UP THE QUALITY & TURN DOWN THE NOISE

More homeowners choose to invest in Safe 'N Sound solid core doors to enhance the privacy, durability and value of their home.



SUSTAINABLE Certified Sourcing FORESTRY Www.sflprogram.org

Masonite Helpline: 1-800-663-DOOR (1-800-663-3667) 9 a.m. to 5 p.m. Monday through Friday, EST www.masonite.com

Masonite", "Masonite. The Beautiful Door."", Max", Safe "N Sound", Emerald", Bellagio", Berkley', Capri", Cheyenne", Hamel", Heritage", Lincoln Park", Logan", Melrose", Palazzo Series', Palazzo Riverside", Saddlebrook', Treviso", West End Collection' and Winslow' are trademarks of Masonite International Corporation. Doors made using patents 6,588,162 (US), 5,543,234 (US) and 2,151,989 (CA). Additional Patents Pending. Our continuing program of product improvement makes specification, design and product detail subject to change without notice.

86911064 11/14 PRINTED IN THE USA © 2014 by Masonite International Corporation